

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	591009	340/539.26, "933", "903", "505", "3.1", "3.43", "3.5", "10", "1". CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:39
S2	59242	S1 AND controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:19
S3	5928	S2 and transmit near4 receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:20
S4	4316	S3 and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S5	1604	S4 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S6	307	S5 and train	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S7	179	S6 and consist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:22
S8	16	S7 and determine adj4 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:23
S9	5	("6400281").URPN.	USPAT	OR	OFF	2005/03/14 16:24

S10	35	("2748266" "3628147" "4511958" "4553723" "4582280" "4638298" "4723737" "4799052" "4947484" "5010332" "5039038" "5077554" "5265832" "5311512" "5347515" "5351919" "5377938" "5408679" "5420883" "5428603" "5434984" "5435505" "5448563" "5465081" "5481532" "5481535" "5481539" "5570284" "5592482" "5592483" "5651517" "5681015" "5720455" "5835005").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:26
S11	4	("3721820" "4689602" "4702291" "4825189").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:31
S12	5	("5039038" "5053964" "5374015" "5377938" "5570284").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:33
S13	1302	340/933	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:45
S14	42	S13 and train near4 order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:34
S15	9	("3721820" "4041470" "4689602" "4702291" "4825189" "5168273" "5651517" "5777547" "5815823").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:35
S16	3	("5966084").URPN.	USPAT	OR	OFF	2005/03/14 16:36
S17	11	("5530328" "5581246" "5581472" "5651517" "5673876" "5777547" "5907193" "5966084" "5967465" "5986577" "6012681").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:37
S18	9	("3721820" "4041470" "4689602" "4702291" "4825189" "5168273" "5651517" "5777547" "5815823").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:40

S19	15	("3721820" "4041470" "4689602" "4702291" "4825189" "5168273" "5361070" "5457394" "5510800" "5512834" "5603556" "5630216" "5651517" "5777547" "5986579").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:41
S20	11	("5530328" "5581246" "5581472" "5651517" "5673876" "5777547" "5907193" "5966084" "5967465" "5986577" "6012681").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/14 16:45
S21	5	("5986577").URPN.	USPAT	OR	OFF	2005/03/14 16:49
S22	2	("6493649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:26
S23	2	("6493649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:31
S24	6	("3777305" "4853863" "4862152" "5359575" "5504477" "5973996").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/29 09:50
S25	271	intelligent adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:50
S26	448	smart adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:51
S27	3	S25 and calculate adj3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:52
S28	1	S26 and calculate adj3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:51

S29	0	S25 and communicate near4 other	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:53
S30	0	S26 and communicate near4 other	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:54
S31	11	S25 and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:54
S32	43	S26 and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:01
S33	19	S25 and mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:02
S34	54	S26 and mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:17
S35	4	S33 and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:03
S36	1	S33 and location near4 determined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:07
S37	2	S33 and location near4 determines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:07
S38	1	S34 and location near4 determines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:06

S39	3	S34 and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:05
S40	4073385	d	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:03
S41	0	S34 and location near4 determined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:03
S42	49	S26 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:30
S43	33	S25 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:18
S44	44	S26 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:19
S45	17	S25 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:19
S46	21	S42 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:25
S47	8	S43 and time near3 delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:19
S48	17	S46 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:22

S49	7	S47 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:21
S50	0	S49 and ultrasound	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:20
S51	5	S49 and ultrasonic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:21
S52	0	S48 and ultrasonic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:20
S53	12	S25 and rack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:31
S54	12	S26 and rack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:31
S55	0	("6493649").URPN.	USPAT	OR	OFF	2005/03/29 10:34
S56	299	racks and cooling adj fluid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:38
S57	128	S56 and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:34
S58	0	S57 and smart same intelligent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:35
S59	0	S57 and smart same intelligent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:35

S60	2	S57 and transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:36
S61	0	("2004/0008113").URPN.	USPAT	OR	OFF	2005/03/29 10:37
S62	2	S56 and transmitter near4 receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:38
S63	13966	las	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:39
S64	784	S63 and transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:39
S65	312	S64 and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:39
S66	2	S65 and calculate near4 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:40
S67	12	S65 and racks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:42
S68	63	S26 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:43
S69	34	S25 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:49
S70	42	S25 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:03

S71	99	S26 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:51
S72	0	("2004/0028023").URPN.	USPAT	OR	OFF	2005/03/29 11:01
S73	205074	340/539.1, "539.26", "539.13", "539.2", "539.17", "539.22", "531", "536", "572".S23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:57
S74	13741	340/5.61, "5.92", "825.36", "825". S71.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S75	395676	342/118, "450", "451", "458".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:01
S76	2269	701/200, "207".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S77	512	705/22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:25
S78	1444	705/28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:28
S79	3606	S73 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:58
S80	159	S74 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:31
S81	7088	S75 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:31

S82	563	S76 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:31
S83	3	S77 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:45
S84	31	S78 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:46
S85	103	S79 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:32
S86	7	S80 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S87	210	S81 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:32
S88	46	S82 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:44
S89	0	S83 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:32
S90	2	S84 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S91	33477	device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:45

S92	4390	S91 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:45
S93	360176	S92 and distance nea4 calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:46
S94	443	S92 and distance near4 calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:46
S95	67	S94 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S96	0	S95 and elaspe adj time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:46
S97	5859734	S95 and elaspe naer time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:47
S98	0	S95 and elaspe near time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:47
S99	0	S95 and elaspe near4 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:48
S10 0	32	S25 and diagnostic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:49
S10 1	99	S26 and diagnostic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:49

S10 2	10	S101 and configure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:52
S10 3	1760	340/903	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:53
S10 4	184	S103 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:04
S10 5	65	S104 and velocity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:56
S10 6	742	network adj device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S10 7	232	S106 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:14
S10 8	0	S107 and time near3 elaspe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:15
S10 9	21	S107 and time near3 elapsed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:04
S11 0	8	S107 and time near3 elapse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:15
S11 1	12	((("6574104") or ("6747872") or ("6616004") or ("20030221821") or ("20040020225") or ("20040109288"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:06

S11 2	4	((("6694759") or ("6775997"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:13
S11 3	119	340/539.26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:56
S11 4	2	("6493649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:57
S11 5	212890	340/539.1, "539.26", "539.13", "539.2", "539.17", "539.22", "531", "536", "572".S114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:57
S11 6	212890	340/539.1, "539.26", "539.13", "539.2", "539.17", "539.22", "531", "536", "572".S114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:58
S11 7	3891	S116 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:58
S11 8	565	705/22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S11 9	7	S118 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:36
S12 0	1575	705/28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 1	35	S120 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59

S12 2	2	S121 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 3	503	smart adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 4	116	S123 and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 5	14452	340/5.61, "5.92", "825.36", "825". S124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:59
S12 6	416400	342/118, "450", "451", "458".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:01
S12 7	2534	701/200, "207".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S12 8	861	network adj device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:02
S12 9	14452	340/5.61, "5.92", "825.36", "825". S124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 0	174	S129 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 1	8	S130 and calculate near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03

S13 2	861	network adj device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:41
S13 3	290	S132 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 4	25	S133 and time near3 elapsed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:03
S13 5	25	S133 and time near3 elapsed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:21
S13 6	667	340/902	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:22
S13 7	43	S136 and crosland	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:22
S13 8	19	("4443790").URPN.	USPAT	OR	OFF	2005/09/13 16:35
S13 9	36635	device and location near4 determine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S14 0	4954	S139 and transceiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S14 1	511	S140 and distance near4 calculate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35

S14 2	74	S141 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:35
S14 3	7	S118 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:36
S14 4	1220	340/825.36, "825"".""49".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:42
S14 5	8	S144 and signal adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:44
S14 6	7	S118 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:45
S14 7	35	S120 and determine near4 position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:48
S14 8	143520	235/384, "385"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:49
S14 9	1255	235/384, "385".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:49
S15 0	3	S149 and signal adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:51